Approved For Release 2003/08/05 CIA RDP78T05161A000400010024-9 MAGERY ALYSIS IVISION PHOTOGRAP: "CILITEI LIGENCE REPORT COMPARISON OF AIR-TO-SURFACE MISSILE AREA AT SHUANG-CHENG-TZU MISSILE TEST CENTER, CHINA WITH SELECTED SOVIET **Declassification** ASM FACILITIES Review by NIMA/DoD 25X

CIA/PIR 61092

DATE Feb 1966

25X

COPY 91 PAGES 20

Excluded from automatic downgrading and declassification

TOP SECRET

Approved For Release 2003/08/05 : CIA-RDP78T05161A000400010024-9

RECO COPY	RD		COPY NO.	PUB. DATE		LOCATION	l 		MAST	ER	DATE RECEIVED	LOCATION		
				ged For Rel	eas		08/05	EM A	^k RDI	₽ 78 T	o5161ÄÖ00 <u>4</u> 00010024	-9 ^{MAXIMUM}	8	
CUT COPI		0	7-72	CUT TO COPIES		DATE		COPI	ES DE	STROY	ED		*****	
CUT			DATE	CUT TO COPIES		DATE								
CUT COP I			DATE	MASTER		DATE								
DATE					NUMBER OF COPIES		DATE			BEGELVIER AT 11-11-11		NUMBER OF COPIES		
MO.	PAY	YR.	RECEIVED OR	ISSUED	REC	'D ISS'D	BAL	MO.	DAY	YR.	RECEIVED OR ISSUED	REC L	ISS'D	BAL
9	24	68	Dist. Unit #9	0, 9 3- 99	8		8							
8	2		Dest # 90				0	W	K	6				
							ŧ							
										 			 	
	\dashv							\vdash					-	-
-	\dashv												-	
		NPIC	Approv	ved For Rel	eas	e 2003/	0 8/05	CIĂ	-RDI	78T	სგეგეგები 000400010024	-9	<u> </u>	
TITL X1	Ī	TAL TO						T]]	LUCATION	25135	5	25>

Approved For Release 2003/08/05 : CIA-RDP78T05161A000400010024-9 ASM FACILITIES DISCUSSED IN THIS REPORT AMSTERDAM NETH. FEDERAL REPUBLIC OF SERMANY l. Bykhov Airfield 2. Ostrov/Gorokhovka Airfield 3. Karankut and Sarabuz Airfields 4. Kapustin Yar/Vladimirovka MTC5. Shuang-Cheng-Tzu MTC 6. Khorol East Airfield 25) 25) OKen 25) CHINA MONGOLIA TOKYO CIA/PIR-61092 CHLNA ®_{SEOUL} AFGHANISTAN ¥ PAKISTAN Jamin RAWALPINDI (Status in ndories are not necessarily those gnized by the U.S. Government.

Approved For Release 2003/08/05: CIA-RDP78T05161A000400010024-9

25X 25X

25)

CIA IMAGERY ANALYSIS DIVISION

CIA/PIR-61092

COMPARISON OF AIR-TO-SURFACE MISSILE AREA AT SHUANG-CHENG-TZU MISSILE TEST CENTER, CHINA WITH SELECTED SOVIET ASM. FACILITIES

INTRODUCTION

		rface (ASM) missile area
at the Shuang-	-Cheng-Tzu Missile Test Center Airfield (41.	-05N 100-15E), h a s
prompted a con	mparison study of this facility with selecte	ed Soviet ASM facilities.
	the air-to-surface missile facility at Vladi	
	the Kapustin Yar/Vladimirovka Missile Test (Center, (48-34N 45-54E)
identified in		Cacilities located at
the following	airfields were selected for study and compa	rison (Figure 1).

<u>Name</u>	Coordinates	Date Identified
Bykhov Airfield, USSR Karankut Airfield, USSR Khorol East Airfield, USSR Ostrov/Gorokhovka Airfield, USSR Sarabuz Airfield, USSR	53-31N 30-12E 45-34N 34-16E 44-27N 132-08E 57-18N 28-26E 45-07N 33-59E	

These five airfields are subordinate to the Soviet Naval Air Forces. The ASM facilities located at these airfields provide a good example of the different configurations existing in deployed ASM facilities. A short description of each is provided with accompanying graphics to illustrate variations in location, size, number of buildings, etc. among the deployed and R and D facilities at the missile test centers. This is followed by a discussion of the results of comparative analysis.

DESCRIPTION

Bykhov Airfield ASM Facility, USSR (53-31N 30-12E)

This facility is located on the north end of the airfield immediately east of the parking apron. It contains the following: two large and one small earth mounded drive-through buildings; two large probable drive-through buildings under construction; one tall, probable drive-through assembly and checkout building with a possible adjoining shop extension; another small

25) 25)

CIA IMAGERY ANALYSIS DIVISION

CIA/PIR-61092

building; a bunker and open storage (Figures 2 and 3). The probable drivethrough assembly and checkout building appears to be separately secured. facility has direct connection to the airfield parking apron and special weapons loading area. A solid security fence encloses the facility.

Karankut Airfield ASM Facility, USSR (45-34N 34-16E)

This facility is located at the northwest corner of the airfield adjacent Both facilities are enclosed by a solid security fence but are separated by an internal fence (Figures 4 and 5). ASM facility contains two large earth mounded, drive-through buildings, one tall possible assembly and checkout building, one possible bunker, and two special weapons loading pits.

Khorol East Airfield ASM Facility, USSR (44-27N 132-08E)

This facility is located approximately 2.6 nautical miles (nm) east of the airfield (Figures 6 and 7). It contains ten large drive-through storage buildings, one large drive-through probable assembly and checkout building with an adjoining possible shop extension, one building located on the apron behind the probable assembly and checkout building, three small barracks-type buildings, and two small buildings in a separately secured area. One small building is located on an apron approximately 2,200 feet outside the fenced area, to the north-northwest. A small hardstand is connected to the area of the probable assembly and checkout building by a loop road. The facility is secured by a double fence, the inner one being solid.

Ostrov/Gorokhovka Airfield ASM Facility, USSR (57-18N 28-26E)

This facility is located approximately 2.7 nm northwest of the center of the airfield runway (Figures 8 and 9). It contains twenty drive-through storage buildings, one drive-through probable assembly and checkout building with an adjoining shop extension, four small barracks type buildings, and one building located on the apron behind the probable assembly and checkout building. Five other small buildings are located both inside and outside the security fence. A small building is situated on an apron approximately 3,300 feet east-southeast of the center of the facility, outside the fenced area. A small hardstand is connected to the area of the probable assembly and checkout building by a loop road. The facility is secured by a double fence, the inner one being solid.

Approved For Relea 2050 2050 2011 CIA-RDP78T05161A000400010024-9

CIA IMAGERY ANALYSIS DIVISION

CIA/PIR-6109

Sarabuz Airfield ASM Facility, USSR (45-07N 33-59E)

This facility is probably composed of three separate installations (Figures 10 and 11). The first is located adjacent to the northeast end of the airfield and contains the following: three drive-through buildings; one large drive-through probable assembly and checkout building with another small drive-through building nearby; two separately secured drive-through buildings; five storage-type buildings; three small barracks-type buildings; one revetted, "T"shaped, possible drive-through building; and open storage. A small hardstand is connected to the probable assembly and checkout building area by a loop road. The facility is secured by a single solid fence.

The second installation, probably for ASM storage, is located approximately 1.5 nm northwest of the airfield and contain five large drive-through storage buildings and one small drive-in building. The facility is secured by a double fence.

The third installation is located approximately three nm west of the airfield and is considered to be warhead storage. It contains two revetted and two unrevetted buildings, a small structure within a circular revetment, a large hardstand, and at least one and possibly two bunkers. The facility is secured by a double fence.

Vladimirovka Airfield ASM Facility, USSR (48-18N 46-11E)

This facility, located immediately east of the airfield, comprises part of the Airborne Weapons Complex at the Test Center. For purposes of this report, the ASM portion of the complex is being treated as a separate facility (Figures 12 and 13). The facility contains one large, high-bay, drive-through assembly and checkout building with two side shops. A small flat-roofed structure adjoins the northwest corner of the building. Also present are two large drivethrough buildings, one "U" shaped building, four smaller buildings, a large aircraft parking apron, and a loading pit. The entire complex is enclosed by a solid fence or wall.

Shuang-Cheng-Tzu Airfield ASM Area, China (40-17N 99-46E)

This facility, located at the southwest end of the airfield, contains a total of seventeen buildings plus a rail-to-road transfer area (Figures 14 and 15). Among these buildings are one large, high-bay, drive-through assembly

25×

CIA IMAGERY ANALYSIS DIVISION

CIA/PIR-61092

and checkout building with two side shops and a small flat-roofed structure adjoining the northwest corner of the building, one small drive-through building with two roof levels to the rear of the assembly and checkout building, eight other storage-type buildings mostly situated on small aprons. a steam heating plant, and four storage/receiving-type buildings situated along the hardstand at the rail transfer area.

DISCUSSION

An overall comparison of these facilities is not practicable because of the variations, plus the fact that two of the facilities are at major missile test centers. It should be noted from the description that the facilities are located at varying distances from the adjacent airfield and there is considerable variation in the size of the facilities and the number of buildings they contain. One, Karankut, [another, Sarabuz, is separated into three installations. This variety of dissimilarity prompts a listing of similarities as follows:

- The major similarity was found in the large assembly and checkout building present in the facilities at Shuang-Cheng-Tzu and Vladimirovka. buildings are identical in size and shape, both have two side shops and a small structure adjoining the northwest corner, and both are adjacent to a large aircraft parking apron (Figures 13 and 15). The number and size of parking hardstands in both areas are also similar. The taxiway leading from the hardstands to the runway is the widest taxiway at either airfield, being 110 feet wide at Shuang-Cheng-Tzu and 80 feet wide at Vladimirovka.
- The similarity in the assembly and checkout buildings at the test centers was found to a degree at the five deployed facilities. At each of these, there is present either a large, drive-through assembly and checkout building with shop extensions or a tall building which could serve the same purpose. These are all situated on a hardstand or apron.
- 3. At the Shuang-Cheng-Tzu facility, a drive-in building is located to the rear of the assembly and checkout building. At Khorol East and Ostrov/ Gorokhorka, a small building is located behind the assembly and checkout buildings. At Sarabuz, a small drive-through building is located near the assembly and checkout building. At the two remaining facilities, Bykhov and Karankut, there is a bunker which is not present at the other three deployed facilities. Vladimirovka has neither of these features but does have two large drive-through buildings to the rear of the assembly and checkout building which are not present at any of the other facilities.
- 4. Bykhov, Karankut, and Vladimirovka have loading pits. None have been identified at Shuang-Cheng-Tzu and loading is probably done on the parking

	ÇIA IMAGERY ANALYSIS DIVISION	CIA/PIR-61092
aprons, as is probably and Sarabuz.	y the case for Khorol East, Ostr	rov/Gorokhovka,
anron connected to the	l East, Ostrov/Gorokhovka, and S e assembly and checkout building is feature is presented at the	g area by a loop road.
hardstand is located a	l East and Ostrov/Gorokhovka, a a short distance away from the respectively. Neither one appea e other three deployed sites not s.	facility, approximately ars secured. This feature
	REFERENCES	
PHOTOGRAPHY		
		<u> </u>
	,	
DOCUMENTS	,	

-5-

25) 25)


Approved For Relea **IOP** 0 **CIA-RDP78T051** 61A000400 010024-9

CIA/IAD PROJECT

30159**-**6



CIA/PIR-61092



BYKHOV AIRFIELD ASM FACILITY, USSR 53-31N 30-12E

2 earth mounded, drive-through buildings, 220 by 85 feet.

1 earth mounded, drive-through building, 140 by 65 feet.

2 probable drive-through buildings, under construction, 200 by 45 feet.

1 tall building with possible shop extension, 105 by 80 feet.

1 bunker approximately 60 feet in diameter.

TOP SECRET

25X

25X

では SIGS CIA-RDP78

0400010024-9


KARANKUT AIRFIELD AND ASM PARETTY, USSR

45-34 N 34-16 E

ASM FACILITY

TOP SECRET

Approved For Release 2003/08/05 : CIA-RDP78T05161A000400 : 0024-9




KARANKUT AIRFIELD ASM FACILITY, USSR 45-34N 34-16E


- 2 earth mounded, drive-through buildings, 240 by 80 feet.
- 1 tall building, 95 by 55 feet.
- 2 special weapons loading pits.
- 1 possible bunker approximately 50 feet in diameter.

5

TOP SECRET

25)





KHOROL EAST AIRFIELD ASM FACILITY, USSR 44-27N 132-08E

10 drive-through buildings, 220 by 50 feet.

- 1 drive-through with possible shop extension, 210 by 70 feet.
- 1 building, 100 by 55 feet.
- 3 buildings, 155 by 60 feet.

Separately secured area containing two small buildings.

1 building, 65 by 40 feet, located on an apron approximately 2,200 feet north-northwest of the center of the facility.

7

TOP SECRET

25X 25X 25X


25X

25X 25X



25×

25X



OSTROV/GOROKHOVKA AIRFIELD ASM FACILITY, USSR 57-18N 28-26E

20 drive-through buildings, 190 by 40 feet.

- 1 drive-through building with shop extension, 195 by 55 feet.
- 1 building, 110 by 50 feet.
- 4 buildings, 140 by 60 feet.
- 1 small security building at the entrance.
- 3 small buildings.
- 1 small building outside the security fence.
- 1 building, 55 by 55 feet, located on an apron approximately 3,300 feet east-southeast of the center of the facility.

9

TOP SECRET

25)

Approved For Release 2003/08/05 : CIA-RDP78T05161A000400010024-9

ASM FACILITY

TOP SECRET

SARABUZ AIRFIELD AND ASM FACILITIES, USSR 45-07 N 33-59 E

ASM STORAGE

WARHEAD STORAGE

TOP SECRET

ase 2003/08/05 CIA-RDP78T0





SARABUZ AIRFIELD ASM FACILITY, USSR 45-07N 33-59E

≺	grive-	-Throngh	buildings,	140	ŊΨ	40	Teet.
ノ	Q1 1 7 C	0111 0 00011	~ ~ ~ ~ ~ ~ · · · · · · · · · · · · · ·	-t- 1 O	$\sim J$. •	,

TOP SECRET

25)

¹ drive-through building, 175 by 60 feet.


¹ drive-through building, 100 by 30 feet.

² drive-through buildings in a separately secured area, 140 by 45 feet.

⁵ buildings, 150 by 60 feet.

³ buildings, 125 by 45 feet. 1 revetted, "T" shaped, possible drive-through building; main section 115 by 90 feet, and cross bar 20 by 115 feet.

163/08/05 CIA-REP78T05461A000400010024-9 SM FACILITY TOP SEENET : CIA-RDP7



VLADIMIROVKA AIRFIELD ASM FACILITY, USSR 48-18N 46-11E

- l high-bay drive-through building measuring 200 by 105 feet including two side shops measuring 200 by 20 feet. A small flat-roofed structure is located at the northwest corner of the building.
- 2 drive-through buildings 200 by 45 feet.
- 1 "U" shaped building with a gable-roofed section 145 by 50 feet; a drivein flat-roofed section 165 by 55 feet with a flat-roofed adjoining shop section 150 by 15 feet; and a flat-roofed connecting section 105 by 35 feet.
- 1 building 105 feet long in two sections with different heights, 65 by 40 feet and 40 by 50 feet.
- 1 building with a high mid-section 70 by 30 feet.
- 1 gable-roofed building 60 by 30 feet.
- 1 flat-roofed building 50 by 25 feet.


13

Approved For Release 2003/08/05 : CIA-RDP78T05161A000400010024-9 ASM AREA SHUANG CHENG-EZU AIRFLY LO AND ASM AREA, CALL 40 → 17 A 99 - 46 E

Approved For Release 2φ03/08/05: CIA-RDP7810

14000400010024-9

Approved For Release 2003/08/05 : CIA-RDP78T05161A000400010024-9



Approved For Release 700 P8/05 ECRET 8T05161A000400010024-9